

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	6390	(antenna 'phase array' 'scanning array' 'plasma grating') WITH (('electronic pointing' adjust\$4 movable rotat\$3) NEAR3 (position angle tilt azimuth direction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 10:09
2	L2	6375	(antenna ) WITH (('electronic pointing' adjust\$4 movable rotat\$3) NEAR3 (position angle tilt azimuth direction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 10:17
3	L3	21	2 WITH ('phase array' 'scanning array' 'plasma grating')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 10:15
4	L4	16	3 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 10:17
5	L5	3	2 WITH ('one dimensional')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 10:15

	L #	Hits	Search Text	DBs	Time Stamp
6	L6	828	(antenna ) WITH (one NEAR2 dimension\$5)	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 11:47
7	L7	573	6 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 10:18
8	L8	26	6 SAME (('electronic pointing' adjust\$4 movable rotat\$3) NEAR3 (position angle tilt azimuth direction))	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 11:48
9	L9	19	8 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 11:50
10	L10	1149	(antenna) WITH ('moving vehicle' airplane)	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 13:58

11	L11	36	10 SAME (('electronic pointing' adjust\$4 movable rotat\$3) NEAR3 (position angle tilt azimuth direction))	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 14:01
----	-----	----	--	--	---------------------

	L #	Hits	Search Text	DBs	Time Stamp
12	L12	14	11 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 14:02
13	L13	1060	antenna WITH ((closed open) ADJ (loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 14:04
14	L14	21	13 SAME (('electronic pointing' adjust\$4 movable rotat\$3 change) NEAR4 (position angle tilt azimuth direction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 14:08
15	L15	13	14 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 14:10
16	L16	1303	antenna WITH ((closed open feedback) ADJ (loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 14:05

17	L17	276	16 AND (('electronic pointing' adjust\$4 movable rotat\$3 change) NEAR4 (position angle tilt azimuth direction))	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 14:08
----	-----	-----	--	--	---------------------

	L #	Hits	Search Text	DBs	Time Stamp
18	L18	209	17 AND ((@ad <= "20001004") or (@rlad <= "20001004"))	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/11/24 15:16